

FUSION

VINTAGE
W O O D

FUSION



TESORI D'ORIENTE_DRAGONE



TESORI D'ORIENTE_MUSCHIO



TESORI D'ORIENTE_LOTO



TESORI D'ORIENTE_AMBRA

FUSION




PRETTY WOOD




MUSCHIO




LOTO



ZENZERO




AMBRA



DRAGONE


TESORI D'ORIENTE




AIRONE




MUSCHIO




LOTO



ZENZERO



AMBRA



DRAGONE

FUSION_TESORI D’ORIENTE

NAME	SIZE			SELECTION	SQM X BOX
	WIDTH CM	LENGHT CM	THICKNESS CM		
AIRONE	19	FROM 90 UP TO 190	1,5	COUNTRY	2,89 SQM
MUSCHIO, LOTO, ZENZERO	19	FROM 90 UP TO 190	1,5	COUNTRY	2,89 SQM
AMBRA, DRAGONE					

FUSION_PRETTY WOOD

NAME	SIZE			SELECTION	SQM X BOX
	WIDTH CM	LENGHT CM	THICKNESS CM		
MUSCHIO, LOTO, ZENZERO	15,8	FROM 90 UP TO 190	1,2	COUNTRY	3,00 SQM
AMBRA, DRAGONE					

Structure:	Three-layers boards with crossed fibres poplar support
Nominal wear layer*:	European Oak wood 3.5 mm thick
Surface:	Bevel, light brushing (deep in “Airone” colour), planing with uneven knots
Installation:	Glued down or floating
Recommended application:	Residential, commercial
Installation on floor heating systems:	Allowed for Tesori d’Oriente Collection Allowed only if glued down for Pretty Wood
Wood selection:	COUNTRY_ Black filled knots of different dimensions and cracks
Processing:	Handcraft
Finish:	Oil_Coloured pigments + Finishing oil
Ordinary maintenance:	Dusting pad - Vacuum cleaner. Cleaning with neutral detergent for oiled floors “Deter Oil”with a soft well squeezed damp cloth
Extraordinary maintenance:	Cleaning with “Deter Oil” neutral detergent, further coating of the oil for extraordinary maintenance “Re_Vita”. Spread onto the surface with a soft well squeezed damp cloth
Emissions:	The entire range of Salis finishes is compliant with CE regulation mark parameters
After installation:	It is recommended to proceed with a further treatment of “Re_Vita” after proper installation Bucket content: 1 litre / consumption: 70/90 sqm


*: Meaning the wear layer thickness before the processing of the surface.

COMPLIMENTARY ITEMS

TRANSITION PIECE

Dimensions:
Length 1000 mm abt
Thickness 12/15 mm


Matching transition piece for all colours of the Fusion collection.



BULLNOSE

Dimensions:
Height 30 mm
Depht 80/ 110 mm
Lenght 1000 mm abt
Thickness 12/15 mm

Matching bullnose for all colours of Fusion collection.




SKIRTING

Dimensions:
Height 80 mm
Lenght 2400 mm abt
Thickness 13 mm

Matching skirting for all Fusion collection colours.

Remark: Fusion collection's coordinated skirting is entirely hand finished. Nevertheless, due to the different production timing and procedure, the finish of the skirting does not perfectly match the floor finish. Furthermore, the skirting doesn't have knots nor planed surface.



MAINTENANCE

NAME	FEATURES
KIT OIL	ORDINARY AND EXTRAORDINARY MAINTENANCE PROGRAM FOR OIL OR OIL + WAX FINISHED FLOORS
RE_VITA	RESTORING AND PROTECTIVE SOLUTION FOR OIL, OIL AND WAX, VARNISH,LEGNORESINA®_PIETRA, AND LEGNORESINA®_CERA FINISHED FLOORS