

PRÊT-À-PORTER



LANA XL



RASO XL



LANA SPINA



TELA XL



VELO XL



LANA ITA

PRÊT-À-PORTER

LANA/ SPINA



LANA/ ITA



L



XL



RASO



TELA



IUTA




VELO



LANA



LANA ITA



LANA SPINA

PRÊT-À-PORTER

| NAME | SIZE | | | SELECTION | SQM X BOX |
|------------------|----------|-----------|--------------|-----------|-----------|
| | WIDTH CM | LENGHT CM | THICKNESS CM | | |
| L - ALL COLOURS | 15 | 122/190 | 1,0 | COUNTRY | 2,85 SQM |
| XL - ALL COLOURS | 19 | 90/190 | 1,4 | COUNTRY | 2,89 SQM |
| SPINA/ LANA | 9 | 61 | 1,4 | COUNTRY | 1,76 SQM |
| ITA/ LANA | 9 | 60 | 1,0 | MIX | 1,30 SQM |

| | |
|--|--|
| Structure: | Prefinished oak with crossed fiber Conifer or Broadleaf wood support |
| Nominal wear layer*: | European Oak wood 3 mm thick |
| Surface: | Bevel, light brushing |
| Installation: | Glued down |
| Recommended application: | Residential, commercial |
| Installation on floor heating systems: | Allowed |
| Wood selection: | COUNTRY_Knots of different dimensions, cracks and filling MIX_Rift, flamed, knots of maximum size 15 mm. (25% max.) |
| Processing: | Industrial |
| Finish: | Varnish_Easy Clean System non absorbing protection |
| Ordinary maintenance: | Dusting pad - Vacuum cleaner. Cleaning with neutral detergent "Deter Wood" and soft well squeezed damp cloth |
| Extraordinary maintenance: | Spread "Re_Vita" refresher onto the surface with a soft well squeezed damp cloth |
| Emissions: | The entire range of Salis finishes is compliant with CE regulation mark parameters |

*: Meaning the wear layer thickness before the processing of the surface.


PRÊT-À-PORTER

COMPLIMENTARY ITEMS

TRANSITION PIECE

Dimensions:
Length 1000 mm abt
Thickness 10/14 mm


Matching transition piece for all Prêt-à-Porter collection colours.



BULLNOSE

Dimensions:
Height 20/30 mm
Depth 80/110 mm
Length 1000 mm abt
Thickness 10/ 14 mm


Matching bullnose for all Prêt-à-Porter collection colours.



SKIRTING

Dimensions:
Height 80 mm
Length 2400 mm abt
Thickness 13 mm

Matching skirting for all Prêt-à-Porter collection colours.



Remark: Prêt-à-Porter collection's coordinated skirting is entirely hand finished. Nevertheless, due to the different production timing and procedure, the finish of the skirting does not perfectly match the floor finish. Furthermore, the skirting doesn't have knots.

MAINTENANCE

| NAME | FEATURES |
|----------|---|
| KIT WOOD | ORDINARY AND EXTRAORDINARY MAINTENANCE PROGRAM FOR LEGNORESINA® PIETRA, LEGNORESINA® CERA, OR VARNISH FINISHED FLOORS |